



## CITY OF OAKDALE PUBLIC SERVICES DEPARTMENT

455 S. Fifth Avenue • Oakdale, California 95361

Phone: 209.845.3625 • Fax: 209.848.4344

[www.oakdalegov.com/public-services](http://www.oakdalegov.com/public-services)

### Sewer Main Replacement Project North 5<sup>th</sup> Avenue

#### ADDENDUM NO. 26-003

#### EXPLANATION OF WHAT IS CONTAINED IN THE ADDENDUM

This addendum is issued to clarify and revise portions of the previously approved Scope of Work. Updates include the addition of invert depths for manholes and lamp-holes; replacement of lamp-holes with an 18-inch cone to create shallow manholes; revisions to the manhole scope at A Street and B Street; inclusion of photos of the existing manholes at A and B Streets; updates to bedding material requirements within the Excavation and Surface Restoration and Sewer Main Replacement sections; and incorporation of City standards for Terminal Cleanouts and Sewer Manholes.

Additionally, the previously referenced brick manhole section has been removed from the scope, and the project map has been updated. The bid date has been extended to **March 26, 2026, at 2:00 PM.**

March 17, 2026

Addendum No. 26-003

**For Bids Due: March 26,2026**

City of Oakdale

Date: March 17,2026

Project Name: Sewer Main Replacement Project, North 5<sup>th</sup> Avenue

**TO ALL BIDDERS:**

**THE FOLLOWING CLARIFICATIONS, CHANGES, ADDITIONS, AND INQUIRIES ARE HEREBY MADE PART OF THE BID DOCUMENTS AND SHALL BE USED IN PREPARATION OF THE BIDS SUBMITTED FOR THE WORK. BIDDER SHALL ACKNOWLEDGE RECEIPT OF THIS ADDENDUM IN THE PLACE PROVIDED IN THE BID DOCUMENTS.**

ADDENDUM INFORMATION – EACH ITEM MUST BE SEPERATELY LISTED

Added information

- Invert Depths for manholes and lamp-holes.
- Replace lamp-holes with an 18-inch cone to a shallow manhole.
- A & B Street manhole scope updated.
- Picture of current manholes on A & B street.
- Bedding material section in sections Excavation and Surface and Sewer Main Replacement.
- Terminal Cleanout & Sewer Manhole city standard.
- Map has been updated.
- Bid Date: Extended to March 26, 2026, at 2:00 pm.

Removed information

- Remove brick manhole section.

End of Addendum No   2



## CITY OF OAKDALE PUBLIC WORKS DEPARTMENT

455 South Fifth Avenue • Oakdale, CA 95361 • Ph: (209) 845-3600 • Fax: (209) 848-4344

CITY  
ADMINISTRATION  
& FINANCE  
DEPARTMENT  
285 N. Third Ave.  
Oakdale, CA 95361  
(209) 845-3571  
(209) 847-6834 Fax

COMMUNITY  
DEVELOPMENT  
DEPARTMENT  
455 S. Fifth Ave.  
Oakdale, CA 95361  
(209) 845-3625  
(209) 845-8903 Fax

FIRE DEPARTMENT  
Station No. 1:  
325 East "G" St.  
Station No. 2:  
450 S. Willowood Dr.  
Oakdale, CA 95361  
(209) 845-3660  
(209) 847-5907 Fax

PARKS & RECREATION  
DEPARTMENT  
325 East "G" St.  
Oakdale, CA 95361  
(209) 845-3591  
(209) 845-3692

POLICE DEPARTMENT  
245 N. Second Ave.  
Oakdale, CA 95361  
(209) 847-2231  
(209) 847-3790 Fax

CITY OF OAKDALE  
WEBSITE  
[www.ci.oakdale.ca.us](http://www.ci.oakdale.ca.us)  
E-MAIL  
[info@ci.oakdale.ca.us](mailto:info@ci.oakdale.ca.us)

**March 11, 2026**

The City of Oakdale invites you to bid on the following project:

### **Sewer Main Replacement Project (Project # 26-003)**

**(North 5th Avenue between A Street and B Street.)**

#### **Project Timeline:**

**Work to begin: Immediately after City Council acceptance of bids**

**Work to be completed: The work shall be completed within 30 days from the start date.**

**Detailed Specifications: (See Attachment Location Map on page # 7.)**

#### **Project Scope of Work**

The project consists of replacing the existing 8-inch concrete sewer main with a new 8-inch SDR 26 sewer pipe along North 5th Avenue between East A Street and East B Street.

#### **Sewer Main Replacement**

- Remove and replace the existing 8-inch concrete sewer main.
- Install approximately **316 linear feet** of 8-inch SDR 26 sewer pipes from the existing lamp hole at **540 North 5th Avenue** to the existing manhole located on **East B Street**.
- Install approximately **158 linear feet** of 8-inch SDR 26 sewer pipe from the second cleanout on the north side of **540 North 5th Avenue** to the existing manhole located on **East A Street**.
- **Bedding Material:** Use pea gravel up to 2 inches above the pipe, followed by native soil or base rock.

#### **Sewer Laterals**

- Install approximately **sixteen (16) sewer lateral connections**.
- Extend each lateral to the back of sidewalk for each property served.

- Install a **4-inch cleanout at the back of sidewalk** and connect it to the respective sewer lateral.

### Manhole Improvements

- Remove two (2) existing sewer lamp holes.
- Replace removed lamp holes with two (2) new standard sewer manholes to improve access and long-term maintenance.
- **B Street Manhole:** Remove and replace the existing manhole. (See City Standard attachment on page 10.)
- Manhole at **A Street:** Tie into the sewer at the base of the manhole, break out the existing pipe, mortar and clean the manhole.
- Install required **water stops at each manhole connection.**
- Manholes invert depths
  - A-Street – 4.03 invert
  - B-Street- 4.30 invert
- Lamp-hole depths: It is recommended to leave an 18-inch cone for shallow manholes.
  - Flowing toward A Street-2.80 invert.
  - Flowing toward B Street-2.00 invert.

### Excavation and Surface Restoration

- Perform all necessary excavation, trenching, shoring, and traffic control.
- Furnish and install pipe bedding, backfill, and compaction in accordance with City standards.
- Place **12 inches of aggregate base.**
- Install **3 inches of trench paving** for final surface restoration.
- Complete all appurtenant work necessary for a fully operational system.
- Bedding Material: Use pea gravel up to 2 inches above the pipe, followed by native soil or base rock.

### General Requirements

- All work shall be performed in accordance with City standards, specifications, and applicable regulatory requirements.

### Mandatory Job Walk: No

**Bids exceeding \$25,000 will require a Payment Bond of 100% of the contract price.**

**COMPLIANCE MONITORING**

This project is subject to compliance monitoring and enforcement by the Department of Industrial Relations, Office of the Labor Commissioner.

**PUBLIC WORKS PROJECT AWARD NOTIFICATION**

The PWC 100 form should be completed on-line by the Awarding Body (City of Oakdale). The completion and the submission of this form fulfills the required public works project notification to both the Division of Apprenticeship Standards (Labor Code sec 1773.3 (replacing former DAS 13 notification) and the Division of Labor Standards Enforcement Public Works Compliance Monitoring Unit {8 Cal. Code Reg. sec. 16451 (a)}

**CONTRACTOR REGISTRATION**

In compliance with SB 854, no contractor or subcontractor may be listed on a bid proposal for a public works project (submitted on or after March 1, 2015) unless registered with the Department of Industrial Relations pursuant to Labor Code section 1725.5 [ with limited exceptions from this requirement for bid purposes only under Labor Code section 1771.1(a)]. In addition, no contractor or subcontractor may be awarded a contract for public work on a public works project (awarded on or after April 1, 2015) unless registered with the Department of Industrial Relations pursuant to Labor Code section 1725.5.

**CERTIFIED PAYROLL**

All contractors and subcontractors must furnish electronic certified payroll records directly to the Labor Commissioner (aka Division of Labor Standards Enforcement).

For all new projects awarded on or after April 1, 2015, the contractors and subcontractors must furnish electronic certified payroll records to the Labor Commissioner.

As of January 1, 2016, the requirement to furnish electronic certified payroll records to the Labor Commissioner will apply to all public works projects, whether new or ongoing.

These requirements apply to all public works that are subject to prevailing wage requirement of the Labor Code without regard to funding source.

**INSURANCE**

\$2,000,000 General Liability and Automobile Liability Insurance will be required. Workers Compensation Insurance with limits of at least one million (\$1,000,000) will also be required along with a Waiver of Subrogation endorsement in favor of City, its officers, agents, employees, and volunteers. Certificates of insurance to be provided when bid is awarded.

Bids shall be received by Manuel Lopez via email at [mlopez@oakdaleca.gov](mailto:mlopez@oakdaleca.gov) or hand delivered to 455 South 5<sup>th</sup> Avenue, Oakdale, CA 95361, up to but no later than 2:00 PM on March 26, 2026. No bids will be accepted after this time.

Please contact Manuel Lopez for additional information or questions regarding this project at 209-845-3619.

## INFORMAL BID – Sewer Main Replacement Project (North 5th Avenue between A Street and B Street.)

Please provide the following pricing/ quote for this project:

1. \$ \_\_\_\_\_

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Company Name

\_\_\_\_\_  
License #

\_\_\_\_\_  
DIR #

**Advisory:** An addendum has been issued, please initial each added and removed item to acknowledge receipt and acceptance of the changes.

### Added information

- Invert Depths for manholes and lamp-holes. \_\_\_\_\_.
- Replace lamp-holes with an 18-inch cone to a shallow manhole. \_\_\_\_\_.
- A & B Street manhole scope updated. \_\_\_\_\_.
- Picture of current manholes on A & B street. \_\_\_\_\_.
- Bedding material section in sections Excavation and Surface and Sewer Main Replacement.
- Terminal Cleanout & Sewer Manhole city standard. \_\_\_\_\_
- Map has been updated. \_\_\_\_\_
- **Bid Date:** Extended to **March 26, 2026, at 2:00 PM.** \_\_\_\_\_

### Removed information

- Remove brick manhole section \_\_\_\_\_.

*\*\* Please note: Bid forms other than this proposal document will not be accepted in lieu of this form.*

### Sewer Main Replacement Project

North 5th Avenue between A Street and B Street.

Please refer to the map below and utilize the scope of work outlined on pages 2 and 3 to prepare an accurate bid for the Water Main Project. The map provides an overview of the project area, including existing utility lines, manholes, sewer lamp holes, and laterals.

#### Map Legend

 -Man Holes

 -Sewer Lamp Holes

 -Sewer Main & Flow

 -Lateral

 - Invert Depth





## Manhole Location – North 5th Avenue & A Street




**4.03 ft  
Invert Depth**

## Manhole Location – North 5th Avenue & B Street



**4.30 ft  
Invert Depth**



**SECTION A**

**PLAN**

NOTES:

1. 2" TO 3" GRADE ADJUSTING RINGS REINFORCED AS REQUIRED.
2. STANDARD CONCENTRIC CONE SHALL CONFORM TO ASTM C418-61T.
3. STANDARD PRE-CAST MANHOLE SECTIONS SHALL CONFORM TO ASTM C418-61T.
4. BOTTOM OF MANHOLE SHALL BE CONSTRUCTED FROM FLOWLINE TO FLOWLINE AND SHAPED TO CONFORM WITH THE DIAMETER OF THE PIPE AND DIRECTION OF FLOW.
5. GROUT ALL JOINTS. RUBBER GASKET, BELL SPIGOT BARRELS PREFERRED, OR USE "RAM NEK" OR APPROVED EQUAL.
6. MANHOLE COVER TO BE MARKED "SEWER".
7. ADJUST FRAME TO GRADE AFTER PAVING.

APPROVED BY CITY COUNCIL:  
RESOLUTION: 2025-094

*Rob Marler*

ROB MARLER, P.E. - CITY ENGINEER


**SEWER MANHOLE**

CITY OF OAKDALE  
DEPARTMENT OF PUBLIC SERVICES


DATE: 09-15-25

DRAWING NO.

**4-C**



**PLAN**



**SECTION A**

NOTES:

1. PINKERTON A-163 MANHOLE ASSEMBLY.
2. FRAME PART NO. A-164 - APPROXIMATE WEIGHT = 230 LBS.
3. COVER PART NO. A-165 - APPROXIMATE WEIGHT = 168 LBS.

APPROVED BY CITY COUNCIL:  
RESOLUTION: 2025-094

*Rob Marler*

ROB MARLER, P.E. - CITY ENGINEER

# TERMINAL CLEANOUT

CITY OF OAKDALE  
DEPARTMENT OF PUBLIC SERVICES

DATE: 09-15-25

DRAWING NO.

## 4-E